

Crest Healthcare

TekTone® Tek-CARE®300III Parts List

Your guide to TekTone® Tek-CARE® 300III system parts available from Crest that are durable, economical and designed with infection control in mind.



About Us



Enhancing the environment of care for those in need and those who care

Crest Healthcare is a leading provider of a wide range of healthcare products and technical services. Historically specialized in high-quality nurse call replacement parts, and today producing nurse call system components for nearly every current system, Crest has been a trusted source for innovative product development and production since 1967.

With customer satisfaction as our driving goal, Crest products provide quality, value, innovation, variety and durability. Working together to guarantee a positive experience, our in-house team includes customer service, technical support, engineering, manufacturing and quality assurance experts.

Engineering

Our engineering team is continually creating and testing new communication products. With the use of destructive and non-destructive in-house testing and prototype evaluations, Crest ensures every product provides durability and a long service life. Custom services are available to OEMs and other commercial customers.

Manufacturing

We build and assemble all the Crest products in-house and work closely with our manufacturing partners to ensure our same high quality standards are met.

Quality Assurance

We conduct testing on 100% of finished products we manufacture prior to shipment. Crest products meet or exceed demanding safety standards up to and including UL 1069 Recognition.

Quality Certifications

2

Crest strives to offer you high quality products to support your facility needs. Crest Healthcare is ISO 13485:2016 certified provider of Pillow Speakers, Nurse Call Stations, Nurse Call Cords, and Bed Control Equipment. Our certification represents our commitment to on-going quality improvements and a dedication to higher levels of performance, service and quality products. We received our first certification in 1999 (ISO 9001) and Crest continues to improve quality in all aspects of designing, manufacturing and customer service.

Crest Healthcare | phone: 1-800-328-8908 | fax: 1-800-369-9207

TekTone® Tek-CARE®300III **Nurse Call Components**

Pillow Speakers	
Elite Digital™	4
Elite Infrared™	
Replacement Cable Assemblies	6
Remote Call-IR™	-
Slimline™	
Call Cords	
Momentary Call Cords	
SoftCall™	(
EconoCall™	10
CleanCall™	1
DuraCall™	12
DuraColor™	
DuraLight™	
DuraGlo™	13
Specialty Call Cords	
GeriCall [®]	
BreathCall™	15
PressCall®	
PadCall®	
TouchCall™	18
Additional Components	
Magnetic Break-A-Way Cable System	19
Call Cord Extenders	19
Station Savers	20
Dummy Plugs	20
Adapters	2
Stations	
Visual Signals	22 - 23

Elite**Digital**™

Crest Elite Digital™ Pillow Speakers

Designed for use with digital TVs, Autosense $^{\text{TM}}$ Technology automatically identifies the brand of digital healthcare TV and sends the correct signal. They can be moved to any room, regardless of healthcare television brand.

- Robust design, easy to disinfect
- No batteries needed for nurse call operation
- Distinctive nurse call button with Braille

Specifications

 Height:
 9"

 Width:
 4 ¾s"

 Thickness:
 1 ¾s"

 Cord Length:
 8'

Case Material: ABS, UL94V-0

Cord Connector: Plug-and-Play (solderless)

Switch Rating: 30 VDC @ 100 mA

Warranty: 2-year warranty against defects in

materials and workmanship from date of purchase






















8-pin DIN Plug





Part No.	System	Nurse Call	TV Control	Other Features	Price
XN1601EBA500A10N1 [†]	Tek-CARE300III	Nurse	Up/Down		135.39
XN1601EEA500A10N1†	Tek-CARE300III	Nurse	Up/Down	2 lights	129.25
XN1601XBA500A10N1 [†]	Tek-CARE300III	Nurse	10-key		119.95

RJ45 8-pin Plug





Part No.	System	Nurse Call	TV Control	Other Features	Price
EN1301EXABA200AE1†	Tek-CARE300III	Nurse	10-key		119.66
EN1302EXABA200ZG1†	Tek-CARE300III	Nurse	10-key	Headphone	142.92



Crest Elite Infrared™ Pillow Speakers

The Crest Elite Infrared Pillow Speaker is the only pillow speaker that combines nurse call and TV with external DVD or Set Top Box (STB) controls. It combines the ease of a universal remote with traditional pillow speaker functionality such as nurse call and environmental controls. It is also useful where there is no cross-room wiring or with TVs that do not have a pillow speaker port. Uses two AAA batteries (included).

- · Robust design, easy to disinfect
- No batteries needed for nurse call operation
- Distinctive nurse call button with Braille

1/4" Phone Plug
3-conductor

Specifications

 Height:
 9"

 Width:
 4 ⅓"

 Thickness:
 1 ¾"

 Cord Length:
 8'

Case Material: ABS, UL94V-0

Cord Connector: Plug-and-Play (solderless)

Power Requirements: 2 AAA alkaline batteries required

(included) (Infrared only)

Switch Rating: 30 VDC @ 100 mA

Warranty: 2-year warranty against defects in

materials and workmanship from date of purchase













5

Part No.	System	Nurse Call	TV Control	Other Features	Price
ET0301EXAAXXXXZE1†	Any station with ¼" jack or Type D, B, Y, or Y2 adapter		10-key		133.16
ET0301EXAAXXXXZG1†	Any station with ¼" jack or Type D, B, Y, or Y2 adapter		10-key	Headphone	150.20

1/4" Phone Plug 2-conductor

Part No.	System	Nurse Call	TV Control	Other Features	Price
ET4401EXABA600ZE1 †	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Nurse	10-key		146.80
ET4401EDABA600ZE1 [†]	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Nurse	10-key	DVD	164.46

8-pin DIN
Plug



Part No.	System	Nurse Call	TV Control	Other Features	Price
XT1601EBA500Z10N1 [†]	Tek-CARE300III	Nurse	Up/Down		142.57
XT1601XEA500Z10N1 [†]	Tek-CARE300III	Nurse	10-key	2 lights	148.46

RJ45 8-pin Plug






Part No.	System	Nurse Call	TV Control	Other Features	Price
ET1301EXABA400ZE1 †	Tek-CARE300III		10-key		148.59
ET1301EEABA200ZE1†	Tek-CARE300III	Nurse	Up/Down		141.00

Replacement Cable Assemblies




Replacement Cable Assemblies for Elite Pillow Speakers

Replacement pillow speaker cable assemblies for Elite DigitalTM and Elite InfraredTM are easy to replace using "plug-and-play" connectors. Standard white cables are 8' with molded-in strain relief. To verify the correct cable for your pillow speaker or for replacement assistance, please contact Crest Technical Support.



Part No.	System	Color	Length	Price
XN4401W-08	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	White	8'	20.86



Part No.	System	Color	Length	Price
XN0301W-08	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	White	8'	15.79

8-pin DIN Plug	0000	
-------------------	------	--

Part No.	System	Color	Length	Price
XN1601W-08	Tek-CARE300III	White	8'	28.96

RJ45 8-pin Plug	8 7 6 5 4 3 2 1	

6

Part No.	System	Color	Length	Price
XN1301W-08	Tek-CARE300III	White	8'	21.93







Programming instructions and code list can be found at www.cresthealthcare.com under the "Resources" tab

Crest Remote Call-IR™ TV Control & Nurse Call

Replace your call cord and remote control with one simple device. The Crest Remote Call-IR controls the TV using IR signals like a universal remote while still providing the safety of reliable wired nurse call.

Remote Call-IR plugs into your nurse call station to ensure it stays within the room and is durable enough to withstand drops and daily use. The 10-key overlay style is great for emergency rooms or private patient rooms, where the room is not wired for TV sound or the sound control of a pillow speaker is not needed. The large button overlay is perfect for kids, geriatric patients or residents with limited dexterity. Features simplified control of TV power, channel and volume with big, easy-to-see buttons. Both styles feature an on-board library of codes that can be used to program it to work with almost any TV. Uses two AA batteries (not included) that last as long as in typical TV remotes.

- Robust design, easy to disinfect
- No batteries needed for nurse call operation
- Distinctive nurse call button with Braille
- Bed A & B functionality
- Fits Crest Pillow Speaker Keeper









Height: 6 ½"

Width:Tapers, 2%0" - 2%"Thickness:1%" at thickest pointWeight:13%0 oz (with batteries)

Cord Length: 10'

Case Material: ABS, Flame rated (UL94V-0)

Cord & Strain Relief: Flexible molded PVC
Cord Connector: Plug-and-Play (solderless)

Plug Style: 2-conductor or 3-conductor 1/4" phone plug

(call Crest for available adapters)

Power Requirements: Two AA alkaline batteries

(sold separately)

Switch Rating: 100 mA @ 28 VDC

Warranty: 2-year warranty against defects in

materials and workmanship from

date of purchase











7

Part No.	System	Nurse Call	Style	Length	Price
XP441E0B600XXX2 [†]	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Nurse	Large Button	10'	83.58
XP441X0B600XXX2 †	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Nurse	10-key	10'	89.95

Replacement Cable for Remote Call IR

Part No.	System	Length	Price
XP4401W-10	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	10'	22.95

1⁄4" Phone Plug 3-conductor





Part No.	System	Nurse Call	Style	Length	Price
XP031E0AXXXXXX2	Any station with ¼" jack or Type D, B, Y, or Y2 adapter		Large Button, Headphone	10'	86.25

Slimline Pillow Speakers



Slimline™

Crest Slimline™ Pillow Speakers

Slimline Pillow Speakers are designed for each hospital's specific needs and fit multiple nurse call systems. These units feature a slim "easy to hold" design, with many options available. Slimline pillow speakers are priced far below original equipment cost and are designed to make repairs quick and easy.

- · Slim, easy to hold design
- · Comes standard with 8' cord length

RJ45 8-pin Plug

Height: 7.5"

Width: 2.6" (tapering to 1.9")

Thickness: 1.7"
Weight: 18.2 oz
Cord Length: 8'
Color: White

Case Material: UL 94V-0 Flame Rated, Latex Free ABS

Speaker Material: Moisture-resistant mylar cone

Electrical Rating: 24 VDC at 100 mA

Standards: Tested to UL 1069 O2 SafeTesting with

oxygen enriched environment marking

RoHS Compliant FDA Listed

Warranty: 2-year warranty against defects in

materials and workmanship from

date of purchase









Part No.	System	Nurse Call	TV Control	Other Features	Price
PSS13010801 †	Tek-CARE300III	No	Yes		94.30
PSS13020801 [†]	Tek-CARE300III	Yes	Yes		84.84
PSS13050801 [†]	Tek-CARE300III	Yes	Yes	2 Lights	96.45

Replacement Cable Assemblies for Crest Slimline™

Replacement cable assemblies for Slimline are easy to replace. Standard white cables are 8' with molded-in strain relief. To verify the correct cable for your pillow speaker or for replacement assistance, please call Crest Technical Support.

Slimline Cable Assemblies


Part No.	Style	System	Color	Length	Price
PS1301W-08	RJ45 8-pin	Tek-CARE300III	White	8'	18.24




Crest SoftCall™ Waterproof Nurse Call & Light Control

SoftCall provides a durable and affordable option for nurse call and controls. The ergonomic pendant fits comfortably in the hand, and its silicone skin provides a reassuring, "soft" feel. The waterproof pendant can easily be wiped down for infection control. The high-contrast color makes the SoftCall pendant easy to find in bedding.

- Soft silicone pendant
- · Easy to clean
- Durable strain relief
- IP47 sealed & waterproof
- Standard 8' white cable



Part No.	System	Nurse Call	Other Features	Style	Color	Length	Price
SC44B-01	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Nurse		Single	Blue	8'	46.72
SC44B-02	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Nurse		Single	Blue	12'	48.63



Part No.	System	Nurse Call	Other Features	Style	Color	Length	Price
SC13B-01	Tek-CARE300III	Nurse		Single	Blue	8'	60.47
SC13C-01	Tek-CARE300III	Nurse	1 Light	Single	Blue	8'	61.78
SC13E-01	Tek-CARE300III	Nurse	2 Lights	Single	Blue	8'	62.67

All listed prices and products are subject to change without notice. Crest is not responsible for photographic or typographical errors. V13. Revised 03/20/24.

9


Crest EconoCall™ Momentary Call Cords



Crest EconoCall™ Call Cords

The EconoCall delivers a clean, basic design with reliable function at a price any facility can afford.

- Our most economically priced call cord
- Repairable button for fast fixes
- Plug styles available to fit most systems
- RoHS 2 Compliant












Part No.	System	Style	Color	Length	From
117700 †	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Single	White	7' or 12'	18.09



Part No.	System	Style	Color	Length	From
7700W †	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Single	White	7', 10', 12', 15' or 20'	13.77
7700B †	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Single	Beige	7', 10', or 12'	16.69
_{7700G} †	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Single	Grey	7', 10' or 12'	18.83
7700DW †	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Double	White	7', 10', 12', 15' or 20'	24.71
7700DB †	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Double	Beige	10' or 12'	31.54
7700DG †	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Double	Grey	10' or 12'	31.54

8-pin DIN Plug

Part No.	System	Style	Color	Length	Price
117716 †	Tek-CARE300III	Single	White	7'	21.91
117716-10 †	Tek-CARE300III	Single	White	10'	29.26

RJ45 8-pin Plug

10

Part No.	System	Style	Color	Length	From
_{7710W} †	Tek-CARE300III	Single	White	7', 10', 12', 15' or 20'	20.54
7710DW-12 †	Tek-CARE300III	Double	White	12'	47.64

Crest CleanCall™ Momentary Call Cords



Crest CleanCall™ Call Cords


Maintaining a clean environment can be difficult, but CleanCall simplifies the job. The completely sealed membrane style button can be easily wiped down to prevent the spread of germs, making it a great option for infection control in any facility.

- Smooth membrane is easy to sanitize
- · Easy grasp winged design fits comfortably in the hand
- Highly visible, high-contrast button with nurse call symbol
- RoHS 2 Compliant

















Any station with $\frac{1}{4}$ " jack or Type D, B, Y, or Y2 adapter

Part No.	System	Style	Color	Length	Price
8916W-8 †	Tek-CARE300III	Single	White	8'	33.90

Double

White

64.88

11

Crest DuraCall™ Momentary Call Cords



Crest DuraCall™ Call Cords

When durability and feature versatility are a must, look no further than the DuraCall Call Cord line. With its rugged design, DuraCall has survived drops, submersion in water and even being driven over by a car.

- Easy-grip winged pendant
- Tactile "click" raised button
- Easy to clean
- Wide variety of plug styles & call cord features available
- Short 6" length available for safety in anti-ligature environments











1⁄4" Phone Plug 2-conductor		
--------------------------------	--	--

Part No.	System	Style	Color	Length	From
9900W5 †	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Anti-Ligature	White	6"	29.38
9900W †	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Single	White	7', 10', 12', 15' or 20'	16.05
9900DW †	Any station with $\frac{1}{4}$ " jack or Type D, B, Y, or Y2 adapter	Double	White	7', 10', 12', 15' or 20'	25.50
9900CLW-16 †	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Single, Coiled	White	16'	29.08

8-pin DIN Plug





Part No.	System	Style	Color	Length	From
9916W †	Tek-CARE300III	Single	White	7' or 10'	23.91

RJ45 8-pin Plug






Part No.	System	Style	Color	Length	From
9910W †	Tek-CARE300III	Single	White	7' or 10'	21.09
9910DW-7 †	Tek-CARE300III	Double	White	10'	28.67

Crest DuraColor™, DuraLight™ & DuraGlo™ Momentary Call Cords

Crest DuraColor™ Call Cords

Crest's neon green pendant in the DuraCall Call Cord line is the latest option for nurse call visibility and ease of use. Bright and vibrant, the pendant is ideal for those with poor eyesight or for those who may have difficulty distinguishing it from bedding.

- · High contrast neon color for easy identification
- Prominent color assists patients & staff
- White cable














Part No.	System	Other Features	Style	Color	Length	From
9900N †	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	High-Contrast Color Pendant	Single	Green	7' or 10'	21.68

Crest DuraLight™ Call Cords

DuraLight Call cords for $\frac{1}{2}$ " phone plug systems have LEDs that momentarily light up when the button is depressed (may not work with every system).

- · Bright red LEDs light up the pendant
- Requires no batteries
- FDA Listed












Part No.	System	Other Features	Style	Color	Length	From
9900R †	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Red LEDs	Single	White	7' or 10'	32.52

Crest DuraGlo™ Call Cords

DuraGlo is the only call cord in the industry with glowing bands to help your residents locate their call cord in dark rooms! DuraGlo can glow up to four hours in total darkness. Built on the same solid platform as our popular DuraCall call cord. Works with any nurse call system.

- Easily locate in dark rooms
- Recharges with light exposure
- · Requires no power or batteries











13

Part No.	System	Other Features	Style	Color	Length	From
9900L †	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Glow-in-the-Dark Pendant	Single	White	7' or 10'	33.29

Crest GeriCall™ Specialty Call Cords



Crest GeriCall™ Call Cords

The GeriCall Geriatric Call Cord is a round, flattened momentary call cord pad that works great for residents who have limited hand dexterity. This call cord utilizes a mechanical switch in the pad that can be activated by slight pressure from the hand, arm or body, or even can be positioned under the resident's chin.

- · Large pad for easy activation
- · Includes security clip
- 3" diameter pad



Part No.

118844C**†**

118844C-__**†**

118844D-10**†**











Any station with $\frac{1}{4}$ " jack or Type D, B, Y, or Y2 adapter

Any station with 1/4" jack or Type D, B, Y, or Y2 adapter

Any station with $\frac{1}{4}$ " jack or Type D, B, Y, or Y2 adapter



Grey

Grey

35.52

89.32

10' or 15'

8-pin DIN Plug	(° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °	

System

Part No.	System	Style	Color	Length	Price
118816C-10 †	Tek-CARE300III	Single	Grey	10'	50.34

Siingle

Double

RJ45 8-pin Plug

Part No.	System	Style	Color	Length	Price
118813C-10 †	Tek-CARE300III	Single	Grey	10'	55.43

BreathCall® Air Activated Specialty Call Cords





11001-WE8-09

15

BreathCall® Air Activated Call Cords

BreathCall is for patients with little to no motor skills and is activated by simply breathing into the disposable straw and filter assembly. It has a flexible gooseneck with universal mounting clamp. The Mini BreathCall offers the same features of the standard with a more streamlined design to fit smaller areas. All BreathCalls come with a 9' cord, clamp and filter and straw kit. Standard BreathCalls have 36" black tubing from clamp to mouthpiece, and Mini BreathCalls have 28" white tubing. For single patient use

- Flexible conduit bends to almost any position
- Sturdy clamp easily attaches to headboards
- · Locking or non-locking switch closure available
- Dual controls for nurse, TV or radio available (11201-09D)















Part No.	System	Other Features	Style	Color	Length	Price
11201-09	Any station with ¼" jack or Type D, B, Y, or Y2 adapter		Single, Non-Locking	Black	9'	167.30
11201-09D	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Nurse, TV or Radio controls	Double, Non-Locking	Black	9'	220.86
16001-09	Any station with ¼" jack or T ype D, B, Y, or Y2 adapter		Mini, Single, Non-Locking	White	9'	133.67

RJ45 8-pin Plug





Part No.	System	Other Features	Style	Color	Length	Price
11001-WE8-09	Tek-CARE300III		Single, Non-Locking	Black	9'	203.52

PressCall® Pneumatic Call Cords



PressCall® Pneumatic Call Cords

PressCall is a pneumatic air-activated call cord designed for patients who have difficulty activating standard call cords. The PressCall has an oval shaped, soft vinyl bulb design that fits easily in the hand.


- For patients with sufficient motor skills too press bulb
- Great for patients unable to operate regular call cords
- Easy to squeeze bulb style











Part No.	System	Style	Color	Length	From
11372_	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Single, Non-Locking	White or Grey	6', 8', 10', 12' or 15'	42.88
1159	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Double, Non-Locking	White or Grey	6', 8', or 12'	60.85
11373_	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Double, Non-Locking	White or Grey	8' or 10'	69.97

8-pin DIN Plug		
-------------------	--	--

Part No.	System	Style	Color	Length	Price
115578	Tek-CARE300III	Single, Non-Locking	Grey	8'	81.59

RJ45 8-pin Plug

Part No.	System	Style	Color	Length	Price
113782	Tek-CARE300III	Single, Non-Locking	Grey	8'	82.85



PadCall® Pneumatic Call Cords

PadCall is a pneumatic air-activated call cord designed for patients who have difficulty activating standard call cords. They have a large circular, soft vinyl pad with gripping feet that prevent it from slipping off any surface.

- For patients with sufficient motor skills too press or lean on pad
- Great for patients unable to operate regular call cords
- Stay-put 3 ½" wide pad













Part No.	System	Style	Color	Length	From
1137	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Single, Non-Locking	White or Grey	6', 8', 10', 12' or 15'	61.76
1159	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Double, Non-Locking	White or Grey	6', 8', or 12'	91.28
1137	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Double, Non-Locking	White or Grey	8' or 10'	97.77

8-pin DIN Plug

Part No.	System	Style	Color	Length	Price
115579	Tek-CARE300III	Single, Non-Locking	Grey	8'	90.46

RJ458-pin Plug





Part No.	System	Style	Color	Length	Price
113783	Tek-CARE300III	Single, Non-Locking	Grey	8'	95.79

Crest TouchCall™ Call Cords



Crest TouchCall™ Call Cords


TouchCall provides reliable and versatile nurse call actuation for patients with limited dexterity. The TouchCall features a large, ultra-sensitive touch plate surface that can be easily pressed by hand, foot, elbow, chin, etc. The tent design with clip and Velcro® attachment methods allow for multiple positioning possibilities to make it simple and convenient for any patient to use.

- Standard 10' cord length to suit a variety of applications
- Classic grey color for easy visibility









Part No.	System	Other Features	Style	Color	Length	Price
113673-4410 †	Any station with ¼" jack or Type D, B, Y, or Y2 adapter	Ultra-Sensitive Touch Plate	Single	Grey	10'	57.27

8-pin DIN Plug	0000	
-------------------	------	--

Part No.	System	Other Features	Style	Color	Length	Price
113673-1610 †	Tek-CARE300III	Ultra-Sensitive Touch Plate	Single	Grey	10'	59.60

RJ45 8-pin Plug	T. FR
-----------------	-------

Part No.	System	Other Features	Style	Color	Length	Price
113697-1310 †	Tek-CARE300III	Ultra-Sensitive Touch Plate	Single	Grey	10'	65.05

Magnetic Break-A-Way Cable System & Call Cord Extenders



Magnetic Break-A-Way Cable System

The Magnetic Break-a-Way Cable System saves both wall stations and pillow speakers from damage due to cable stress. Any cable pressure over 6 lb will break the magnetic connection and disconnect the pillow speaker without damage to the wall station. The magnets guide the connection, ensuring the pillow speaker is correctly and quickly connected - no more fumbling or broken pins.

- Eliminate downtime & cost of wall station repairs
- · Save on pillow speaker replacements
- Cable length is approximately 2'
- · Also works with call cords









Part No.	System	Color	Length	Price
116075	Tek-CARE300III	White	2'	54.11

RJ45 8-pin Plug





Part No.	System	Color	Length	Price
116099	Tek-CARE300III	White	2'	59.94

Call Cord Extenders

Call Cord Extenders allow you to lengthen any 2-conductor, $\frac{1}{4}$ " phone plug nurse call cord.

- Disconnection of cord triggers cord-out on stations with this feature
- Multiple lengths to fit any application

1⁄4" Phone Plug 2-conductor







108090

19

Part No.	System		Length	Price
108090-01	Any station with ¼" jack or Type D, B, Y, or Y2 adapter		1'	35.50
108090	Any station with ¼" jack or Type D, B, Y, or Y2 adapter		8'	24.03
108090-12	Any station with ¼" jack or Type D, B, Y, or Y2 adapter		12'	27.95

Station Savers & Dummy Plugs



Station Savers

Station Savers create a break-away point between cord and station to help prevent damage. Disconnection of cord triggers cord-out on stations with this feature.

Part No.	System	Description	Length	Price
114681-01	Tek-CARE300III	RJ45 8-pin	1'	22.81
114681-10	Tek-CARE300III	RJ45 8-pin	10'	28.81



113703



7710W-D

Dummy Plugs

Dummy plugs provide proper termination to eliminate cord out calls from being placed when a call cord, pillow speaker or bed is disconnected from the wall station. Select the plug end type to fit your needs.

Part No.	System	Description	Price
113703	Tek-CARE300III	8-pin DIN	11.27
7710W-D	Tek-CARE300III	RJ45 8-pin, 5" connecting cord	14.83

21

Crest Nurse Call Adapters

Adapters accommodate multiple nurse call devices from a single wall receptacle or convert your existing station to an alternative plug style. Allows patient monitoring equipment to be used simultaneously with a standard call cord or pillow speaker.

Type B Adapters convert your existing receptacle to the same receptacle and one $\frac{1}{2}$ " phone receptacle.

Type D Adapters convert your existing receptacle to one $\frac{1}{4}$ " phone receptacle.

 $\textbf{Type Y Adapters} \ convert \ your \ existing \ receptacle \ to \ two \ 1/4" \ phone \ receptacles.$

Type Y2 Adapters convert your existing receptacle to one female receptacle of the same style and one $\frac{1}{2}$ " phone receptacle.

Type Y3 Adapters convert your existing receptacle to two of your existing receptacles.



Part No.	System	Style	Description	Price
CA16S16N1-01	Tek-CARE300III	Type Y2	8-pin DIN to 8-pin DIN and ¼" 2-conductor	57.11
CA16D16N1-01	Tek-CARE300III	Type Y3	8-pin DIN to (2) 8-pin DIN	37.67
CA16X00N1-01	Tek-CARE300III	Type D	8-pin DIN to 1/4" 2-conductor	33.66



Part No.	System	Style	Description	Price
CA13X00N2-01	Tek-CARE300III	Туре Ү	RJ45 8-pin to (2) 1/4" 2-conductor	57.11
CA13S13N1-01	Tek-CARE300III	Type Y2	RJ45 8-pin to RJ45 8-pin and ¼" 2-conductor	66.18
108058	Tek-CARE300III	Type D	RJ45 8-pin to ¼" 2-conductor	31.83
115917	Tek-CARE300III	Type D	RJ45 8-pin to ¼" 3-conductor	29.20
9514	Tek-CARE300III	Туре В	RJ45 8-pin to RJ45 8-pin and 1⁄4" 2-conductor	117.34

Visual Signals







4-Lamp LED Corridor Dome Light - OEM

The TekTone 4-lamp LED Corridor Dome Light provides visual indication that a call was made. Amber, green, red and white colored LEDs indicate patient call priority and staff presence. When used with any room station or IR310E TekTone Staff Station, the LI380LED indicates calls originated from that specific room. Fits standard 1-gang or 2-gang box with 1-gang or 2-gang ring.

- For use with Tek-CARE300III System
- · Long lasting LEDs, no bulb replacement required
- · Plug-in connector included
- · Attractive flame-retardant plastic panel
- UL® 1069 Listed

Part No.	System	Description	Price
LI380LED	Tek-CARE300III	LED Corridor Pilot Light, 4-lamp, 24 VDC	89.25





Addressable Dome/Zone Light - OEM

TekTone's L1386LED Dome/Zone Light with built in multipurpose station provides visual indication of calls originating from bath, emergency and code call switches when used as a dome light. The L1386LED indicates calls originating from patient and staff stations when used as a zone light. The L1386LED also indicates all calls from the zones to which those stations are assigned and provides communication to and from the central equipment, including the nurse master station and monitor. No controls are provided.

- For use with Tek-CARE300III System
- · Long lasting LEDs
- No bulb replacement required
- Simplified multiplex wiring
- UL® 1069 Listed

Part No.	System	Description	Price
LI386LED	Tek-CARE300III	LED Corridor Zone Light, 24 VDC	297.50






Corridor Dome Lights - OEM

 $Tek Tone\ original\ equipment\ Corridor\ Dome\ Lights\ provide\ visual\ indication\ of\ any\ type\ call\ and\ fit\ standard\ 2-gang,\ plaster\ ring.\ Features\ translucent$ white plastic cover which mounts on a standard mounting plate.

- For use with Tek-CARE300III System
- Designed for easy bulb replacement
- UL®1069 Listed

Part No.	System	Description	Price
LI381	Tek-CARE300III	Corridor Dome Light, 1-lamp, 28 VDC, 40 mA	29.75
LI382	Tek-CARE300III	Corridor Dome Light, 2-lamp, 28 VDC, 40 mA	42.00
RP092		Replacement Lens for Corridor Dome Light	8.08





LED Corridor Zone Light - OEM

The LI382LED Corridor Zone Light provides visual indication of calls when used with a nurse call system, emergency call system, or similar application. Indicates an emergency call by the rapid flashing of the two red LED bulbs associated with the zone or area from which an emergency call has been placed. Normal calls are indicated by a steady illumination of the two white LEDs. If an emergency or normal call are placed in the same zone at the same time, the red LEDs connected to the emergency station will flash rapidly, while the white LEDs associated with the normal call will maintain a steady illumination.

- For use with Tek-CARE300III System
- Long lasting LEDs & no bulb replacement needed
- Plug-in connector supplied
- · Attractive flame-retardant plastic panel
- · Standard mounting plate for 1-gang or 2-gang mounting options
- UL®1069 Listed

Part No.	System	Description	Price
LI382LED	Tek-CARE300III	LED Corridor Zone Light, 24 VDC	70.00



Master Station with LCD Touchscreen Display - OEM

This master station console option for systems using Gen2 central equipment modules provides for push to talk audio control for audio capable systems, but if desired, add the optional handset kit for better privacy. The user interface layout allows staff to view calls on the screen across devices on the same system. Up to three incoming calls are displayed by priority and time and are also color coded for easy recognition. Routine calls are annunciated with a steady call LED and slow pulsing tone with station number displayed on the touchscreen. Features a color LCD display with touch screen, with controls for tone volume, page view buttons, clock, and call listing. All calls must be canceled from the point of origin unless it is a routine call from an audio capable station.

- For use with Tek-CARE300III System
- · Touchscreen to simply navigate calls or menus
- Use for both audio/visual & tone/visual applications
- Calls can be selected out of order
- · RoHS compliant

Part No.	System	Description	Price
NC415G3	Tek-CARE300III	Master Station with LCD Touchscreen Display	1786.75
TA415L	Tek-CARE300III	Optional Handset Kit, includes cradle, handset and cord	206.50
IH415LD	Tek-CARE300III	Optional Desk Mount Housing	26.25
IH415W	Tek-CARE300III	Optional Wall Mount Bracket	35.00

Patient Stations & Multi-Purpose Station







IR311E

IR319B

IR320B

Patient Stations - OEM

The IR319B Single Patient Station and the IR320B Dual Patient Station from TekTone have two-way communication between patient and nurse, and provides for programmable privacy, paging and patient priority from the master station. If a call cord or pillow speaker is accidentally removed from its receptacle, the nurse master station registers a "cord out" call. Dual Patient Station additionally features independently operating receptacle and a second call-placed indicator.

- For use with Tek-CARE300III System
- Select 8-pin or RJ45 receptacles
- LED light indicate call-placed & intercom in use
- UL® 1069 Listed

Part No.	System	Description	Price
IR311E	Tek-CARE300III	Single Patient Station, with RJ45 8-pin modular jack	355.25
IR312E	Tek-CARE300III	Dual Patient Station , with two RJ45 8-pin modular jacks	423.50
IR319B	Tek-CARE300III	Single Patient Station, 8-pin DIN	231.00
IR320B	Tek-CARE300III	Dual Patient Station, 8-pin DIN	253.75





25

Multi-Purpose Station-OEM

Multi-Purpose Stations provide audible, visual and digital communications, but do not have the controls, LEDs or speakers normally associated with patient, staff or duty stations. Applications may include providing input for code emergency call stations in an ICU or providing input for bath emergency call switches in public bath areas.

- For use with Tek-CARE300III System
- Microprocessor design
- UL® 1069 Listed

Part No.	System	Description	Price
IR300E	Tek-CARE300III	Multi-Purpose Station,12 VDC	211.75

Staff Station & Duty Station




Staff Station - OEM

Staff Pushbutton Station from TekTone. Mounts on a 2-gang box, with a plastic faceplate. Features "call" and "cancel" buttons.

- For use with Tek-CARE300III System
- · Call-placed & privacy indicators for ease of use

Part No.	System	Description	Price
IR310C	Tek-CARE300III	Staff Station, pushbutton	257.25





Duty Station-OEM

Duty station from TekTone. Mounts on a 2-gang box, with a plastic faceplate. Features "call" and "reset" buttons.

- $\bullet \, \text{For use with Tek-CARE300III System} \\$
- · Speaker incorporated
- UL® 1069 Listed

Part No.	System	Description	Price
IR315F	Tek-CARE300III	Duty Station, with speaker	257.25

Patient Station & Monitor Call Interface Stations





27

Single Patient Station - OEM

The Single Patient Station provides reliable two-way hands-free communication between patient and nurse, and provides for programmable privacy, paging and patient priority from the master station. Call-placed indicator on the panel indicate the call has been placed and the intercom is in use.

- For use with Tek-CARE300III System
- · Includes 6' washable TPU plastic pullcord
- UL® 1069 Listed

Part No.	System	Description	Price
IR318B	Tek-CARE300III	Single Patient Station, with call-placed indicator	231.00





JK300/2

Monitor Call Interface Stations - OEM

The Monitor Call Interface from TekTone is for use in locations where a simple interface is needed. Accepts a standard ¼" plug and registers a "cord out" call. Dummy plug included for use when not connected to a device.

- For use with Tek-CARE300III System
- · Wire lead pigtail connections

Part No.	System	Description	Price
JK300A	Tek-CARE300III	Monitor Call Interface Station, ¼" phone jack	33.25
JK300/2	Tek-CARE300III	Monitor Call Interface Station, 1/4" dual phone jack	52.50

Pullcord Station & Code Blue Station



Emergency Pullcord Station - OEM

Emergency Pullcord Station from TekTone features a pull-down style actuator with optional pullcord, and a call placed LED. Mounts on a 1-gang box, with a plastic faceplate.

- For use with Tek-CARE300III System
- · Call-placed indicator

Part No.	System	Description	Price
SF340B	Tek-CARE300III	Emergency Pullcord Station	56.00





Code Blue Station-OEM

This TekTone station features a code blue slide activator. A call can be canceled by returning the slide activator to the up position. Includes a call-placed indicator for call assurance. Ideal for ICU/CCU, physical therapy rooms, post-op recovery and more.

- For use with Tek-CARE300III System
- Call-placed indicator
- UL® 1069 Listed

Part No.	System	Description	Price
SF341B	Tek-CARE300III	Code Blue Pullcord Station	63.00





Staff Presence Station - OEM

The Staff Presence Station provides push button registration of nurse presence (green LED indicator), or aid presence (yellow LED indicator) at remote locations. Can also be used to transfer nurse follower feature from room to room as nursing staff proceeds with rounds. Depressing the nurse presence button automatically transfers indication of all subsequent patient calls to the remote location of the nurse, as well as the master station.

- For use with Tek-CARE300III System
- · Plug-in connectors provide for simple wiring
- UL® 1069 Listed

Part No.	System	Description	Price
SF350B	Tek-CARE300III	Staff Presence Station	96.25





Visual-Only Patient Station – OEM

Visual-Only Patient Stations from TekTone provide routine, bath emergency and code calls to the master station.

- For use with Tek-CARE300III System
- · Call-placed indicator
- Low power requirements
- UL® 1069 Listed

Part No.	System	Description	Price
SF380A	Tek-CARE300III	Visual-Only Patient Station	147.00